L	Hits	Search Text	DB	Time stamp
Number				•
1	0	monitor\$3 with (intra\$1hub near path) same (multicast adj address)	USPAT; US-PGPUB; EPO; JPO	2004/10/07 12:29
2	0	monitor\$3 with intra\$1hub with (communication adj path) same (multicast adj address)	USPAT; US-PGPUB; EPO; JPO	2004/10/07 12:29
3	0	monitor\$3 with intra\$1hub same (communication adj path) same (multicast adj address)	USPAT; US-PGPUB; EPO; JPO	2004/10/07 12:29
4	0	monitor\$3 same intra\$1hub same (communication adj path) same (multicast adj address)	USPAT; US-PGPUB; EPO; JPO	2004/10/07 12:30
5	0	monitor\$3 same (communication adj path) same (multicast adj address)	USPAT; US-PGPUB; EPO; JPO	2004/10/07 12:30
6	0	(monitor\$3 or detect\$3) same (communication adj path) same (multicast adj address)	USPAT; US-PGPUB; EPO; JPO	2004/10/07 12:31
8	0	<pre>(monitor\$3 or detect\$3) same (intra\$1hub) same (communication adj path) same (MAC or (multicast adj address))</pre>	USPAT; US-PGPUB; EPO; JPO	2004/10/07 12:31
9	0	(monitor\$3 or detect\$3) same (hub) same (communication adj path) same (MAC or (multicast adj address))	USPAT; US-PGPUB; EPO; JPO	2004/10/07 12:31
10	8	709/.ccls. and (monitor\$3 or detect\$3) same (communication adj path) same (MAC or (multicast adj address))	USPAT; US-PGPUB; EPO; JPO	2004/10/07 12:36
11	0	370/ccls. and (monitor\$3 or detect\$3) same (communication adj path) same (MAC or (multicast adj address))	USPAT; US-PGPUB; EPO; JPO	2004/10/07 12:36
12	5	709/224-249.ccls. and (monitor\$3 or detect\$3) same (communication adj path) same (MAC or (multicast adj address))	USPAT; US-PGPUB; EPO; JPO	2004/10/07 12:36
_	. 6	<pre>@ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) with (BPDU or (Bridge adj Protocol adj Data adj Unit)) and (MAC adj address) and (destination adj address)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 17:00
_	11	<pre>@ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) with (BPDU or (Bridge adj Protocol adj Data adj Unit)) and (MAC adj</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/04/12 17:18
-	4	address) @ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) same (BPDU or (Bridge adj Protocol adj Data adj Unit)) and compar\$3	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/04/12 17:20
_	0	with (MAC adj address) @ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) adj (destination adj address) and (BPDU or (Bridge adj	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/04/12 17:20
-	11	Protocol adj Data adj Unit)) and compar\$3 with (MAC adj address) @ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) with (destination adj address) and (BPDU or (Bridge adj	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/04/12 17:23
-	14	Protocol adj Data adj Unit)) and compar\$3 with (MAC adj address) @ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) same (BPDU or (Bridge adj	DERWENT USPAT; US-PGPUB;	2004/04/12 19:01
-	0	Protocol adj Data adj Unit)) and compar\$3 same (MAC adj address) @ad<20001114 and prevent\$3 with (bridge adj loop) and compar\$3 same (MAC adj	EPO; JPO; DERWENT USPAT; US-PGPUB;	2004/04/12 19:00
_	17	address) @ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) same (RIP or BPDU or	EPO; JPO; DERWENT USPAT; US-PGPUB;	2004/04/12 19:10
		(Bridge adj Protocol adj Data adj Unit)) and (stor\$3 and compar\$3) same (MAC adj address)	EPO; JPO; DERWENT	23.20

47	@ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) same (port or path or RIP or BPDU or (Bridge adj Protocol adj Data adj Unit)) and (stor\$3 and compar\$3) same (MAC adj address) and (disabl\$3 same port)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12
_ 25	@ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) same (port or path or RIP or BPDU or (Bridge adj Protocol adj Data adj Unit)) and (stor\$3 and compar\$3) same (MAC adj address) and (disabl\$3 same port) and match\$3 same (destination adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:14
_ 25	@ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) with (port or path or RIP or BPDU or (Bridge adj Protocol adj Data adj Unit)) and (stor\$3 and compar\$3) same (MAC adj address) and (disabl\$3 same port) and match\$3 same (destination adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:14
_ 22	1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:14
_ 20	1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:14
8	@ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) with (port or path or RIP or BPDU or (Bridge adj Protocol adj Data adj Unit)) and (stor\$3 and compar\$3) with (MAC adj address) and (disabl\$3 with port) and match\$3 with (destination adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:26
0	@ad<20001114 and (monitor\$3 or detect\$3 or recogniz\$3) with (port or path or RIP or BPDU or (Bridge adj Protocol adj Data adj Unit)) and (stor\$3 and compar\$3) with (MAC adj address) and (disabl\$3 with port) same match\$3 with (destination adj address) and (prevent\$3 or avoid\$3) same loop	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:27
0	@ad<20001114 and (stor\$3 and compar\$3) with (MAC adj address) and (disabl\$3 with port) same match\$3 with (destination adj address) and (prevent\$3 or avoid\$3) same loop	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:27
2	@ad<20001114 and (disabl\$3 with port) same match\$3 with (destination adj address) and (prevent\$3 or avoid\$3) same loop	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:29
2	@ad<20001114 and (disabl\$3 same port) same match\$3 same (destination adj address) and (prevent\$3 or avoid\$3) same loop same bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:29
53	@ad<20001114 and (disabl\$3 same port) and (prevent\$3 or avoid\$3) same loop same bridge	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:30
- 42	<pre>@ad<20001114 and (disabl\$3 with port) and (prevent\$3 or avoid\$3) same loop same bridge</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/12 19:30

,				
-	18	@ad<20001114 and (disabl\$3 with port) and	USPAT;	2004/04/12
		(prevent\$3 or avoid\$3 or detect\$3 or	US-PGPUB;	19:32
		monitor\$3) same loop same bridge same	EPO; JPO;	
		port and (compar\$3 or match\$3) same ((MAC	DERWENT	
	17	or destination) adj address)		0004/04/00
	1	<pre>@ad<20001114 and (disabl\$3 with port) and (prevent\$3 or avoid\$3 or detect\$3 or</pre>	USPAT;	2004/04/12
		monitor\$3) same loop same bridge same	US-PGPUB; EPO; JPO;	19:40
		port and (compar\$3 or match\$3) with((MAC	DERWENT	
		or destination) adj address)	DEKWENI	
-	0	@ad<20001114 and (disabl\$3 with port) and	USPAT;	2004/04/12
		(prevent\$3 or avoid\$3 or detect\$3 or	US-PGPUB;	19:40
		monitor\$3) same loop same bridge and	EPO; JPO;	13.40
		(compar\$3 or match\$3) with ((MAC or	DERWENT	
		destination) adj address) and intra-hub	DERWENT	
-	0	@ad<20001114 and (disabl\$3 with port) and	USPAT;	2004/04/12
		(prevent\$3 or avoid\$3 or detect\$3 or	US-PGPUB;	19:41
		monitor\$3) same loop same bridge and	EPO; JPO;	13.11
		(compar\$3 or match\$3 or monitor\$3) with	DERWENT	
		((MAC or destination) adj address) and		
		(predetermin\$3 or predefin\$3) near		1
		address		
-	11	@ad<20001114 and (disabl\$3 with port) and	USPAT;	2004/04/12
		(prevent\$3 or avoid\$3 or detect\$3 or	US-PGPUB;	19:43
		monitor\$3) same loop same bridge and	EPO; JPO;	
1		(compar\$3 or match\$3 or monitor\$3) with	DERWENT	
1		((MAC or destination) adj address) and		
	1.0	(predetermin\$3 or predefin\$3)		
-	10	@ad<20001114 and (disabl\$3 near port) and	USPAT;	2004/04/12
		(prevent\$3 or avoid\$3 or detect\$3 or	US-PGPUB;	19:45
		monitor\$3) same loop same bridge and	EPO; JPO;	
	ļ	(compar\$3 or match\$3 or monitor\$3) with	DERWENT	
_	11	((MAC or destination) adj address) @ad<20001114 and (disabl\$3 near port) and	IIG D D m	2224/24/32
	1 1	(prevent\$3 or avoid\$3 or detect\$3 or	USPAT;	2004/04/12
		monitor\$3) same loop same bridge and	US-PGPUB; EPO; JPO;	19:48
		(compar\$3 or match\$3 or monitor\$3) same	DERWENT	
		((MAC or destination) adj address)	DEKMEMI	
-	11	@ad<20001114 and (disabl\$3 near port) and	USPAT;	2004/04/12
		(prevent\$3 or avoid\$3 or detect\$3 or	US-PGPUB;	19:49
		monitor\$3) same (bridge same loop) and	EPO; JPO;	13.13
		(compar\$3 or match\$3 or monitor\$3) same	DERWENT	·
	}	((MAC or destination) adj address)		
_	20	@ad<20001114 and (disabl\$3 with port) and	USPAT;	2004/04/13
	1	(prevent\$3 or avoid\$3 or detect\$3 or	US-PGPUB;	14:12
	1	monitor\$3) same (bridge same loop) and	EPO; JPO;	
		(compar\$3 or match\$3 or monitor\$3) same	DERWENT	
		((MAC or destination) adj address)		
l ⁻ .	22	@ad<20001114 and (disabl\$3 with port) and	USPAT;	2004/04/14
		(prevent\$3 or avoid\$3 or detect\$3 or	US-PGPUB;	11:51
]	monitor\$3 or eliminat\$3) same (bridge	EPO; JPO;	
		same loop) and (compar\$3 or match\$3 or monitor\$3) same ((MAC or destination or	DERWENT	
		source) adj address)		
_	62	@ad<20001114 and ((disabl\$3 or block\$3)	 	2004/04/14
	"2"	with port) and (prevent\$3 or avoid\$3 or	USPAT; US-PGPUB;	2004/04/14
		detect\$3 or monitor\$3 or eliminat\$3 or	EPO; JPO;	14:41
		listen\$4) same (bridge same loop) and	DERWENT	
		(compar\$3 or match\$3 or monitor\$3 or	~~********	
		stor\$3 or updat\$3) same ((MAC or		
		destination or source) adj address)		
_	52	@ad<20001114 and ((disabl\$3 or block\$3)	USPAT;	2004/04/14
		with port) and (prevent\$3 or avoid\$3 or	US-PGPUB;	11:59
		detect\$3 or monitor\$3 or eliminat\$3 or	EPO; JPO;	
		listen\$4) same (bridge same loop) and	DERWENT	
		(compar\$3 or match\$3 or monitor\$3 or	i	
		stor\$3 or updat\$3) with ((MAC or		
		destination or source) adj address)		1

-	19	@ad<20001114 and ((disabl\$3 or block\$3)	USPAT;	2004/04/14
		with port) same (prevent\$3 or avoid\$3 or	US-PGPUB;	12:06
1		detect\$3 or monitor\$3 or eliminat\$3 or	EPO; JPO;	
		listen\$4) same (bridge same loop) and (compar\$3 or match\$3 or stor\$3 or	DERWENT	
		updat\$3) with ((MAC or destination or		
		source) adj address)		
-	7	@ad<20001114 and ((disabl\$3 or block\$3)	USPAT;	2004/04/14
		with port) same (prevent\$3 or avoid\$3 or	US-PGPUB;	12:16
		detect\$3 or monitor\$3 or eliminat\$3 or	EPO; JPO;	12:10
		listen\$4) same (bridge same loop) and	DERWENT	}
		(compar\$3 or match\$3 or stor\$3 or		1
		updat\$3) with ((MAC or destination or		
		source) adj address) and (learn\$3 with		
		bridge) same (spanning adj tree)	1	i
-	24	@ad<20001114 and ((disabl\$3 or block\$3)	USPAT;	2004/04/14
		with port) and (prevent\$3 or avoid\$3 or	US-PGPUB;	12:18
		detect\$3 or monitor\$3 or eliminat\$3 or	EPO; JPO;	
		listen\$4) same (bridge same loop) and	DERWENT	
		(compar\$3 or match\$3 or stor\$3 or		
		updat\$3) with ((MAC or destination) adj		
		address) and (learn\$3 with bridge) and		
1_		(spanning adj tree)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2004/01/21
1	4		USPAT;	2004/04/14
		with port) and (prevent\$3 or avoid\$3 or	US-PGPUB;	12:22
		detect\$3 or monitor\$3 or eliminat\$3 or listen\$4) same (bridge same loop) and	EPO; JPO;	
		(compar\$3 or match\$3 or stor\$3 or	DERWENT	
		updat\$3) with ((MAC and destination) adj		
		address) and (learn\$3 with bridge) and		
		(spanning adj tree)		
_	24		USPAT;	2004/04/14
		with port) and (prevent\$3 or avoid\$3 or	US-PGPUB;	12:24
		detect\$3 or monitor\$3 or eliminat\$3 or	EPO; JPO;	*****
		listen\$4) same (bridge same loop) and	DERWENT	
	1	(compar\$3 or match\$3 or stor\$3 or		
		updat\$3) with ((MAC or destination) adj		
		address) and (learn\$3 with bridge) and		
		(spanning adj tree)		
_	14	@ad<20001114 and (prevent\$3 or avoid\$3 or	USPAT;	2004/04/14
	!	detect\$3 or monitor\$3 or eliminat\$3 or	US-PGPUB;	12:25
İ	[listen\$4) same (bridge same loop) and	EPO; JPO;	
		(compar\$3 or match\$3 or stor\$3 or	DERWENT	
		updat\$3) with ((MAC or destination) adj		
		address) and (learn\$3 with bridge) and		
		(spanning adj tree) same ((disabl\$3 or		
_	32	block\$3) with port) @ad<20001114 and ((disabl\$3 or block\$3)	HCD2m	2004/04/14
	32	with port) and (disables or blockes) with port) and (preventes or avoides or	USPAT;	2004/04/14
		detect\$3 or monitor\$3 or eliminat\$3 or	US-PGPUB; EPO; JPO;	12:29
1	[listen\$4) same (bridge same loop) and	DERWENT	
1		((compar\$3 or match\$3 or monitor\$3) and	DEVARINT	
		(stor\$3 or updat\$3)) with ((MAC or		
1		destination or source) adj address)		
-	15	@ad<20001114 and (spanning adj tree) same	USPAT;	2004/04/14
1		((disabl\$3 or block\$3) with port) and	US-PGPUB;	12:30
1		(prevent\$3 or avoid\$3 or detect\$3 or	EPO; JPO;	
		monitor\$3 or eliminat\$3 or listen\$4) same	DERWENT	
	į i	(bridge same loop) and ((compar\$3 or		
1	[match\$3 or monitor\$3) and (stor\$3 or		
}		updat\$3)) with ((MAC or destination or		
,	_	source) adj address)		
-	2	@ad<20001114 and (learn\$3 adj bridge) and	USPAT;	2004/04/14
		(spanning adj tree) same ((disabl\$3 or	US-PGPUB;	12:31
		block\$3) with port) and (prevent\$3 or	EPO; JPO;	
		avoid\$3 or detect\$3 or monitor\$3 or	DERWENT	
		eliminat\$3 or listen\$4) same (bridge same loop) and ((compar\$3 or match\$3 or		
		monitor\$3) and (stor\$3 or updat\$3)) with		
		((MAC or destination) adj address)		
L	L	(into or describation, adj address)		l

	,			
-	2	<pre>@ad<20001114 and (learn\$3 adj bridge) and</pre>	USPAT;	2004/04/14
ł		(spanning adj tree) same ((disabl\$3 or	US-PGPUB;	12:32
		block\$3) with port) and (prevent\$3 or	EPO; JPO;	
		avoid\$3 or detect\$3 or monitor\$3 or	DERWENT	
		eliminat\$3 or listen\$4) same (bridge same loop) and ((compar\$3 or match\$3 or		
		monitor\$3) and (stor\$3 or updat\$3)) with		
		((MAC or destination or source) adj		
		address)	ļ	
_	11	@ad<20001114 and (learn\$3 adj bridge) and	USPAT;	2004/04/14
		(spanning adj tree) and ((disabl\$3 or	US-PGPUB;	12:34
		block\$3) with port) and (prevent\$3 or	EPO; JPO;	12.54
		avoid\$3 or detect\$3 or monitor\$3 or	DERWENT	
		eliminat\$3 or listen\$4) same (bridge same	DERWENT	
		loop) and ((compar\$3 or match\$3 or		
		monitor\$3) and (stor\$3 or updat\$3)) with		
		((MAC or destination or source) adj		
		address)		·
-	3	@ad<20001114 and (learn\$3 adj bridge) and	USPAT;	2004/04/14
		(spanning adj tree) and ((disabl\$3 or	US-PGPUB;	12:35
		block\$3) with port) and (prevent\$3 or	EPO; JPO;	
		avoid\$3 or detect\$3 or monitor\$3 or	DERWENT	
		eliminat\$3 or listen\$4) with (loop) and		
		((compar\$3 or match\$3 or monitor\$3) and		
		(stor\$3 or updat\$3)) with ((MAC or		
		destination or source) adj address)		
-	34	<pre>@ad<20001114 and (spanning adj tree) and</pre>	USPAT;	2004/04/14
		((disabl\$3 or block\$3) with port) and	US-PGPUB;	12:36
		(prevent\$3 or avoid\$3 or detect\$3 or	EPO; JPO;	
		monitor\$3 or eliminat\$3 or listen\$4) with	DERWENT	
		(loop) and ((compar\$3 or match\$3 or		
		monitor\$3) and (stor\$3 or updat\$3)) with		
		((MAC or destination or source) adj		
ĺ	11	address)		
-	11	@ad<20001114 and (spanning adj tree) and	USPAT;	2004/04/14
		((disabl\$3 or block\$3) with port) same	US-PGPUB;	12:46
		(prevent\$3 or avoid\$3 or detect\$3 or	EPO; JPO;	
		<pre>monitor\$3 or eliminat\$3 or listen\$4) with (loop) and ((compar\$3 or match\$3 or</pre>	DERWENT	
		monitor\$3) and (stor\$3 or updat\$3)) with		
		((MAC or destination or source) adj		
		address)		
_	2	@ad<20001114 and (prevent\$3 or avoid\$3 or	USPAT;	2004/04/14
	_	detect\$3 or monitor\$3 or eliminat\$3 or	US-PGPUB;	12:59
		listen\$4) with (loop) and ((compar\$3 or	EPO; JPO;	-2.03
	İ	match\$3 or monitor\$3) and (stor\$3 or	DERWENT	
		updat\$3)) with ((MAC or destination or		
		source) adj address) same ((disabl\$3 or		
[block\$3) with port)		
-	23	@ad<20001114 and ((compar\$3 or match\$3)	USPAT;	2004/04/14
		same (stor\$3 or updat\$3)) with ((MAC or	US-PGPUB;	13:01
	ļ	destination or source) adj address) same	EPO; JPO;	
	ļ	((disabl\$3 or block\$3) with port)	DERWENT	
-	1	@ad<20001114 and ((compar\$3 or match\$3)	USPAT;	2004/04/14
		same (stor\$3 or updat\$3)) with ((MAC or	US-PGPUB;	13:02
		destination or source) adj address) same	EPO; JPO;	
		((disabl\$3 or block\$3) with port) and	DERWENT	
		(spanning adj tree) and (learn\$3 adj		
_	ر ا	bridge)		2004/04/74
-	2	@ad<20001114 and ((compar\$3 or match\$3)	USPAT;	2004/04/14
		same (stor\$3 or updat\$3)) with ((MAC or	US-PGPUB;	13:03
		destination or source) adj address) same	EPO; JPO;	
		((disabl\$3 or block\$3) with port) and (spanning adj tree)	DERWENT	
	6	(spanning adj tree) @ad<20001114 and ((compar\$3 or match\$3)	IICDAT.	2004/04/14
	8	same (stor\$3 or updat\$3)) with ((MAC or	USPAT; US-PGPUB;	2004/04/14 13:05
		destination or source) adj address) same	EPO; JPO;	13.03
		addition of boards, and address, same	TEO, OFO,	1
		((disabl\$3 or block\$3) near port)	DERWENT	i

-	0	@ad<20001114 and ((compar\$3 or match\$3)	USPAT;	2004/04/14
		same (stor\$3 or updat\$3)) with ((source	US-PGPUB;	13:06
		adj MAC) adj address) same ((disabl\$3 or	EPO; JPO;	
		block\$3) near port)	DERWENT	
-	0	@ad<20001114 and ((compar\$3 or match\$3)	USPAT;	2004/04/14
		and (stor\$3 or updat\$3)) with ((source	US-PGPUB;	13:06
		adj MAC) adj address) same ((disabl\$3 or	EPO; JPO;	
		block\$3) near port)	DERWENT	
-	0	@ad<20001114 and ((compar\$3 or match\$3))	USPAT;	2004/04/14
		with ((source adj MAC) adj address) same	US-PGPUB;	13:06
		((disabl\$3 or block\$3) near port)	EPO; JPO;	
			DERWENT	
-	6	@ad<20001114 and ((compar\$3 or match\$3)	USPAT;	2004/04/14
		and (stor\$3 or updat\$3)) with ((source	US-PGPUB;	13:06
		adj MAC) adj address) and ((disabl\$3 or	EPO; JPO;	
		block\$3) near port)	DERWENT	